

06165 - 0616511000 11705A - T 705A/1000 T 705R - T 705 W CERTIFICATE of conformity No. 8601548 QOUA A CALLOO



In compliance with the requirements for documentation specified in Annex II and the Essential Requirements in Annex I of the European Parliament and of the Council on electromagnetic compatibility, this certificate applies to the apparatus/machinery device:

HOT MELT GLUE GUN

Type(s)/Modei(s):4164, 4165, 4167, 4168, 4169, 4170, 4171, 4172, 4173, 4177, 4178, 4179, 4180, 4181, 4182, 4183, 4184, 4185, 4186, 4187, 4188, 4189, 4190, 4191, 4192, 4193, 4194, 4066, 4069, 4085, 4072

Technical specification: Power supply: 100~240V AC; Temperature range:100°C~250°C Technical file: TCF-VC-SH-201909007

Assessment Performed: 2014/30/EU, 2014/35/EU

Category (2006/42/EC Annex IV): N/A

Applied Standards: EN 60519-1:2015, EN 60519-2:2006, EN 61000-6-1:2007, EN 61000-6-3:2007/A1:2011/AC:2012

produced by or for

and produced in the manufacturing plant

This certificate attests that all provisions described in relevant parts of the standard

EN 60519-1:2015, EN 60519-2:2006, EN 61000-6-1:2007, EN 61000-6-3:2007/A1:2011/AC:2012

are addressed in the accompanying product documentation. The CE mark as shown below can be affixed, under the responsibility of the manufacturer, after the completion of EC declaration of conformity and compliance all the relevant directives.

This certificate was first issued on **19th September 2019** and is valid until **18th September 2024** and is based on the evaluation of the technical file of the equipment/machinery device. The voluntary certification does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the LL-C (Certification). The holder of this certificate may use this certificate together with his EC declaration of conformity. This is not NB statement.

Prague, 19th September 2019

Ing. Lukáš Holub Decision person





validity code: AE697A57-9F0 Check the validity of this certificate using this code at www.ll-c.info

LL-C (Certification) Italy S.r.l. | Corso Indipendenza, 5 - 20129 Milano (MI)



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product name Hot melt glue stick (transparent) No:4100 1.2. Relevant identified uses of the substance or mixture and uses advised against identified uses Hot melt glue stick (transparent) Not available. Uses advised against 1.3. Details of the supplier of the safety data sheet 1.4. Emergency telephone number SECTION 2: HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture Classification (EC 1272/2008) Physical and Chemical Hazards Not classified. Human health Not classified. Environment Not classified. Classification (1999/45/EEC) Not classified. The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16. 2.2, Label elements

Contains

SBR (Styrene-Butadiene Copolymer)

Label In Accordance With (EC) No. 1272/2008 No pictogram required.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Ingredient name | * | CAS |
|--------------------------------|--------|------------|
| Petroleumresins | | 64742-16-1 |
| Ethylene-Vinyl acetate polymer | 30-60% | 24937-78-8 |
| | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

REACH Registration number

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information Get medical attention. Inhalation Move into fresh air and keep at rest. If respiratory problems, artificial respiration/oxygen. Get medical attention if any discomfort continues. Ingestion Rinse mouth.



NH-201904110002



Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

Get medical attention if any discomfort continues.

Skin contact

Promptly wash contaminated skin with water. Promptly remove clothing if soaked through and wash the skin with water.

Wash contaminated clothing before reuse.

Get medical attention if any discomfort continues.

Eye contact

Do not rub eye. Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing.

4.2. Most important symptoms and effects, both acute and delayed

General Information

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment may vary with condition of victim and specifics of incident.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Water. Foam. Carbon dioxide (CO2). Dry chemicals. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardoua combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

Dust may form explosive mixture with air. May explode when heated or when exposed to flames or sparks.

Specific hazards

When heated and in case of fire, irritating vapours/gases may be formed. Dust or gas may ignite by flames.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep up-wind to avoid fumes. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Move container from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Keep unnecessary people away, isolate hazard and deny entry. Fight advanced or massive fires from safe distance or protected location.

Protective equipment for fire-fighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid heat, flames and other sources of ignition. Keep upwind. Do not handle broken packages without protective equipment. Stop leak if possible without risk.

6.2. Environmental precautions

Store away from waterwork or drainage system. Prevent run-off from entering ground, storm sewers and ditches which lead to natural waterways. If large spills, call emergency services to get advice.

6.3. Methods and material for containment and cleaning up

Large Spillages: Build dikes to control spillage. Avoid lowland and keep upwind. Small Spillages: Collect spilled material in appropriate container for disposal Dispose of contents/containers in accordance with local/regional/national/international regulations

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling



Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid heat, flames and other sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly sealed when not in use. Keep in original container. Store and handle in accordance with all current regulations and standards.

7.3. Specific end use(s)

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment





Process conditions

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash, quick drench,

Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

Wear suitable respiratory protection. Under frequent use or heavy exposure, respiratory protection may be needed. Hand protection Wear suitable gloves. Eye protection

Wear approved safety goggles. Hygiene measures

Wash hands after handling.

Skin protection

Wear suitable protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Appearance | Transparent |
|---|--------------------|
| Colour | Transparent |
| Odour | Mild. |
| Solubility | Insoluble in water |
| Initial boiling point and boiling range | |
| Not applicable. | |
| Melting point (*C) | 80°C |
| Relative density | |
| Not applicable. | |
| Vapour density (alr=1) | |
| Not applicable. | |
| Vapour pressure | |
| Not applicable. | |
| Evaporation rate | |
| Not applicable. | |
| pH-Value, Conc. Solution | |
| Not available. | |



| pH-Value, Diluted Solution Not | |
|--------------------------------|----------|
| available. | |
| Viscosity | |
| Not applicable. | |
| Decomposition temperature (°C) | |
| Not available. | |
| Odour Threshold, Lower | |
| Not available. | |
| Odour Threshold, Upper | |
| Not available. | |
| Flash point | |
| Auto Ignition Temperature (°C) | 246 °C |
| Flammability Limit - Lower(%) | > 388 °C |
| Not available. | |
| Flammability Limit - Upper(%) | |
| Not available. | |
| Partition Coefficient | |
| (N-Octanol/Water) | |
| Not applicable. | |
| Explosive properties | |
| Not available. | |
| Other Flammability | |
| Not available. | |
| Oxidiaing properties | |
| Not available. | |
| | |
| | |

9.2. Other information

Mol. Weight

≈ 500, 000

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not available,

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materiais To Avoid

Not available.

10.6. Hazardous decomposition products

During fire, toxic gases (CO, CO2) are formed. Hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity: Acute Toxicity (Orel LD50) Not available. Acute Toxicity (Dennal LD50)



Not available. Acute Toxicity (Inhalation LC50) Not available.

Skin Corrosion/irritation: Not available.

Serious eye damage/irritation:

Not available. Respiratory or skin sensitisation: Respiratory sensitisation Not available. Skin sensitisation Not available. Genotoxicity - In Vitro Not available. Genotoxicity - In Vivo Not available.

Carcinogenicity:

Carcinogenicity Not available.

Reproductive Toxicity:

Reproductive Toxicity - Fertility Not available. Reproductive Toxicity - Development Not available.

Specific target organ toxicity - single exposure:

STOT - Single exposure

Not available.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure Not available. Acute Toxicity (Dermal LD50) > 2000 mg/kg Rat Acute Toxicity (Inhalation LC50) Endpoint waived according to REACH Annex VII, IX or XI.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

Acute Toxicity - Fish Not available. Acute Toxicity - Aquatic Invertebrates Not available. Acute Toxicity - Aquatic Plants Not available. Acute Toxicity - Microorganisms Not available. Chronio Toxicity - Fish Early life Stage Not available.



Short Term Toxicity - Embryo and Sac Fry Stages Not available. Chronic Toxicity - Aquatic Invertebrates Not available. Acute Toxicity - Terrestrial Not available.

12.2. Persistence and degradability

Not available. Blodegradation Not available.

12.3. Bioaccumulative potential

Bioaccumulation factor Not available. Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility: Not available.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Dispose of contents/containers in accordance with local/regional/national/international regulations. Waste is suitable for incineration. If the waste contains designated waste and difficult to separate, incinerate it or reduce the volume following the similar way as incineration. If applicable, pretreat the waste by oll/water separation.

13.1. Waste treatment methods

Confirm disposal procedures with environmental engineer and local regulations. Dispose of the waste by oneself or contact disposal company.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID),

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3, Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user



Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations (Title VII Regulation 1907/2006) No specific authorisations are noted for this product. Restrictions (Title VIII Regulation 1907/2006) No specific restrictions of use are noted for this product.

15.2. Chemical Safety Assessment

A chemical safety assessment has been carried out for Resin acids and Rosin acids, potassium saits (CAS:61790-50-9) and Facid (CAS:67701-06-8).

SECTION 16: OTHER INFORMATION

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.